


Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application:

Listing of Claims:

1. (currently amended) A compound of the formula



wherein:

(i) m denotes the number 0,

n denotes the number 1 and

A denotes a straight-chain C₁₋₃-alkylene group wherein

one or two hydrogen atoms independently of one another may be replaced in each case by a C₁₋₃-alkyl group or

a hydrogen atom may be replaced by the group -(CH₂)_p-R_f, while

p denotes one of the numbers 0, 1, 2 or 3 and

R_f denotes a hydroxycarbonyl, or a C₁₋₃-alkoxycarbonyl, aminocarbonyl, C₁₋₃-alkylaminocarbonyl, di-(C₁₋₃-alkyl)-aminocarbonyl, C₃₋₇-cycloalkylamino carbonyl, N-(C₁₋₃-alkoxy carbonylmethyl)-N-(C₁₋₃-alkyl)-aminocarbonyl, N-(carboxymethyl)-N-(C₁₋₃-alkyl)-aminocarbonyl or a 4- to 7-membered cycloalkyleneimino carbonyl group,

or

(ii) m denotes the number 1,

n denotes the number 1 and

—A denotes a bond or

(iii) —m denotes the number 0 or 1,

—n denotes the number 0 and

A denotes a straight-chain C₁₋₃-alkylene group wherein one or two hydrogen atoms independently of one another may be replaced in each case by a C₁₋₃-alkyl group, or

(iv) —m denotes the number 2,

—n denotes the number 0 and

—A denotes a bond;

R₁ denotes a pyrrolidinocarbonyl amino, C₁₋₅-alkylamino, C₃₋₇-cycloalkylamino or phenyl-C₁₋₃-alkylamino group each of which may be substituted at the amino nitrogen atom by a phenylcarbonyl or phenylsulphonyl group or by a C₁₋₃-alkyl or C₁₋₃-alkyl-carbonyl group optionally substituted in the alkyl moiety by a carboxy group, a group which may be converted *in vivo* into a carboxy group, an amino, C₁₋₃-alkylamino or di-(C₁₋₃-alkyl)-amino group;

a di-(C₁₋₅-alkyl)amino or N-(C₃₋₇-cycloalkyl)-C₁₋₅-alkylamino group, while the C₁₋₅-alkyl moiety with the exception of the 1 position may be substituted in each case by a hydroxy, C₁₋₃-alkoxy, amino, C₁₋₃-alkyl-amino or di-(C₁₋₃-alkyl)-amino group;

a 4- to 7-membered cycloalkyleneiminocarbonyl or cycloalkyleneiminosulphonyl group optionally substituted by a C₁₋₃-alkyl, amino-C₁₋₃-alkyl, C₁₋₃-alkylamino-C₁₋₃-alkyl, di-(C₁₋₃-alkyl)-amino-C₁₋₃-alkyl, aminocarbonyl, C₁₋₃-alkylamino-carbonyl or di-(C₁₋₃-alkyl)-aminocarbonyl group;

a 2,5-dihydropyrrol-1-yl-carbonyl group;

an aminosulphonyl group optionally substituted by one or two C₁₋₃-alkyl groups;

a C₃₋₇-cycloalkyl-carbonyl group, whilst

the methylene group in the 3 or 4 position in a C₃₋₇-cycloalkyl-carbonyl group may be replaced by an -NH group wherein

~~the hydrogen atom of the NH group may be replaced by a C₁₋₃-alkyl, C₁₋₃-alkyl-carbonyl, phenylcarbonyl or phenylsulphonyl group,~~

~~a phenylcarbonyl or heteroarylcarbonyl group,~~

~~or a C₁₋₃-alkyl group optionally monosubstituted by an amino, C₁₋₃-alkylamino, di-(C₁₋₃-alkyl)-amino, hydroxy, phenyl or a 4- to 7-membered cycloalkyleneimino group or terminally disubstituted by a phenyl group and a hydroxy group, while~~

~~the phenyl substituents may be substituted by an amidino group optionally substituted by one or two C₁₋₃-alkyl groups, by a fluorine, chlorine or bromine atom, by a trifluoromethyl, C₁₋₃-alkyl or C₁₋₃-alkoxy group,~~

R₂ denotes a hydrogen, ~~fluorine,~~ chlorine or bromine atom, a C₁₋₃-alkyl group wherein the hydrogen atoms may be wholly or partly replaced by fluorine atoms, a C₂₋₃-alkenyl, C₂₋₃-alkynyl, hydroxy, C₁₋₃-alkoxy or trifluoromethoxy group,

R₃ denotes a hydrogen atom or a C₁₋₃-alkyl group,

R₄ denotes a hydrogen atom or a C₁₋₃-alkyl group ~~optionally substituted by a carboxy group or a group which may be converted *in vivo* into a carboxy group and~~

Ar denotes a phenyl ~~or naphthyl~~ group substituted by the groups R₅, R₆ and R₇, while

~~R₅ denotes a cyano group, an amidino group optionally substituted by one or two C₁₋₃-alkyl groups, an amino-C₁₋₃-alkyl, C₁₋₃-alkylamino-C₁₋₃-alkyl or di-(C₁₋₃-alkyl)amino-C₁₋₃-alkyl group,~~

~~R₆ denotes a hydrogen, fluorine, chlorine or bromine atom, a trifluoromethyl, C₁₋₃-alkyl, or a hydroxy, hydroxy-C₁₋₃-alkyl, C₁₋₃-alkoxy, C₁₋₃-alkoxy-C₁₋₃-alkyl, carboxy, carboxy-C₁₋₃-alkyl, carboxy-C₁₋₃-alkoxy, C₁₋₄-alkoxy-carbonyloxy, C₁₋₄-alkoxy-carbonyl-C₁₋₃-alkoxy, phenyl-C₁₋₃-alkoxy, amino, C₁₋₃-alkylamino or di-(C₁₋₃-alkyl)amino group and~~

~~R₇ denotes a hydrogen, fluorine, chlorine or bromine atom or a C₁₋₃-alkyl group,~~

~~or a thienyl, thiazolyl, pyridinyl, pyrimidinyl, pyrazinyl or pyridazinyl group optionally substituted in the carbon skeleton by a C₁₋₃-alkyl group,~~

~~while the term heteroaryl group mentioned above denotes a 5-membered heteroaryl group bound via a carbon or nitrogen atom which contains~~

~~an imino group optionally substituted by a C₁₋₄-alkyl or C₁₋₄-alkyl carbonyl group, an oxygen or sulphur atom,~~

~~an imino group optionally substituted by a C₁₋₄-alkyl group or an oxygen or sulphur atom and additionally a nitrogen atom,~~

~~an imino group optionally substituted by a C₁₋₄-alkyl group and two nitrogen atoms or~~

~~an oxygen or sulphur atom and two nitrogen atoms,~~

~~or a 6-membered heteroaryl group which contains one or two nitrogen atoms,~~

~~while a phenyl ring may be fused to the abovementioned 5- or 6-membered heteroaryl groups via two adjacent carbon atoms and the bicyclic heteroaryl groups thus formed may be bound via the heteroaromatic or carbocyclic moiety,~~

~~and the unsubstituted or monosubstituted phenyl groups mentioned in the definition of the abovementioned groups, or the unsubstituted or monosubstituted phenyl moieties contained in these groups, as well as the abovementioned heteroaryl groups may additionally be substituted at a carbon atom in each case by a fluorine, chlorine or bromine atom, by a trifluoromethyl, C₁₋₃-alkyl or C₁₋₃-alkoxy group, unless otherwise stated,~~

~~the carboxy groups mentioned in the definition of the abovementioned groups may be replaced by a group which may be converted *in vivo* into a carboxy group or by a group which is negatively charged under physiological conditions, and~~

the amino and imino groups mentioned in the definition of the abovementioned groups may be substituted by a group which can be cleaved *in vivo*, while

by a group which can be cleaved *in vivo* from an imino or amino group is meant a hydroxy group, an acyl group such as a phenylcarbonyl group optionally mono- or disubstituted by fluorine, chlorine, bromine or iodine atoms, by C₁₋₃-alkyl or C₁₋₃-alkoxy groups, while the substituents may be identical or different, a pyridinoyl group or a C₁₋₁₆-alkanoyl group such as the formyl, acetyl, propionyl, butanoyl, pentanoyl or hexanoyl group, a 3,3,3-trichloropropionyl or allyloxycarbonyl group, a C₁₋₁₆-alkoxycarbonyl or C₁₋₁₆-alkylcarbonyloxy group, wherein hydrogen atoms may be wholly or partially replaced by fluorine or chlorine atoms such as the methoxycarbonyl, ethoxycarbonyl, propoxycarbonyl, isopropoxycarbonyl, butoxycarbonyl, tert.butoxycarbonyl, pentoxycarbonyl, hexyloxycarbonyl, octyloxycarbonyl, nonyloxycarbonyl, decyloxycarbonyl, undecyloxycarbonyl, dodecyloxycarbonyl, hexadecyloxycarbonyl, methylcarbonyloxy, ethylcarbonyloxy, 2,2,2-trichloroethylcarbonyloxy, propylcarbonyloxy, isopropylcarbonyloxy, butylcarbonyloxy, tert.butylcarbonyloxy, pentylcarbonyloxy, hexylcarbonyloxy, octylcarbonyloxy, nonylcarbonyloxy, decylcarbonyloxy, undecylcarbonyloxy, dodecylcarbonyloxy or hexadecylcarbonyloxy group, a phenyl-C₁₋₆-alkoxycarbonyl group such as the benzyloxycarbonyl, phenylethoxycarbonyl or phenylpropoxycarbonyl group, a 3-amino-propionyl group wherein the amino group may be mono- or disubstituted by C₁₋₆-alkyl or C₃₋₇-cycloalkyl groups and the substituents may be identical or different, a C₁₋₃-alkylsulphonyl-C₂₋₄-alkoxycarbonyl, C₁₋₃-alkoxy-C₂₋₄-alkoxy-C₂₋₄-alkoxycarbonyl, R_a-CO-O-(R_bCR_c)-O-CO-, C₁₋₆-alkyl-CO-NH-(R_dCR_e)-O-CO- or C₁₋₆-alkyl-CO-O-(R_dCR_e)-(R_dCR_e)-O-CO- group, wherein

R_a denotes a C₁₋₈-alkyl, C₅₋₇-cycloalkyl, phenyl or phenyl-C₁₋₃-alkyl group,

R_b denotes a hydrogen atom, a C₁₋₃-alkyl, C₅₋₇-cycloalkyl or phenyl group,

R_c denotes a hydrogen atom or a C₁₋₃-alkyl group, and

R_d and R_e, which may be identical or different, denote hydrogen atoms or C₁₋₃-alkyl groups,

or a salt thereof.

2. (currently amended) A compound of the formula I according to claim 1, wherein:

(i) m denotes the number 0,

n denotes the number 1 and

A denotes a straight-chain C₁₋₃-alkylene group wherein

~~one or two hydrogen atoms independently of one another may be replaced in each case by a C₁₋₃-alkyl group or~~

a hydrogen atom may be replaced by the group $-(CH_2)_p-R_f$, while

p denotes one of the numbers 0, 1, 2 or 3 and

R_f denotes a hydroxycarbonyl, ~~or a~~ C₁₋₃-alkoxycarbonyl, aminocarbonyl, C₁₋₃-alkylaminocarbonyl, di-(C₁₋₃-alkyl)-aminocarbonyl, C₃₋₇-cycloalkylamino-carbonyl, N-(C₁₋₃-alkoxy-carbonylmethyl)-N-(C₁₋₃-alkyl)-aminocarbonyl, N-(carboxymethyl)-N-(C₁₋₃-alkyl)-aminocarbonyl ~~or a 4 to 7 membered cycloalkyleneimino-carbonyl group,~~

or

(ii) ~~m denotes the number 0 or 1,~~

~~n denotes the number 0 and~~

~~A denotes a straight-chain C₁₋₃-alkylene group wherein one or two hydrogen atoms independently of one another may be replaced in each case by a C₁₋₃-alkyl group,~~

R₁ denotes a pyrrolidinocarbonylan-amino, C₁₋₃-alkylamino or C₃₋₇-cycloalkylamino group each of which may be substituted at the amino nitrogen atom by a C₁₋₃-alkyl,

C₁₋₃-alkylcarbonyl, carboxy-C₁₋₃-alkyl, carboxy-C₁₋₃-alkylcarbonyl,

C₁₋₆-alkoxy-carbonyl-C₁₋₃-alkyl-carbonyl or amino-C₁₋₃-alkyl-carbonyl group,

~~a di-(C₁₋₃-alkyl)amino or N-(C₅₋₇-cycloalkyl)-C₁₋₃-alkylamino group,~~

~~a 4 to 7 membered cycloalkyleneiminocarbonyl group optionally substituted by a C₁₋₃-alkyl, amino-C₁₋₃-alkyl, C₁₋₃-alkylamino-C₁₋₃-alkyl, aminocarbonyl or C₁₋₃-alkylamino-carbonyl group, while~~

~~a hydrogen atom bound to a nitrogen atom may be replaced by an acetyl, phenylcarbonyl or tert.-butoxycarbonyl group,~~

~~or a 2,5-dihydropyrrol-1-yl-carbonyl group,~~

R₂ denotes a hydrogen, ~~fluorine~~, chlorine or bromine atom, a C₁₋₃-alkyl, C₂₋₃-alkenyl, C₂₋₃-alkynyl, trifluoromethyl, C₁₋₃-alkoxy or trifluoromethoxy group,

R₃ denotes a hydrogen atom or a C₁₋₃-alkyl group,

R₄ denotes a hydrogen atom or a C₁₋₃-alkyl group and

Ar denotes a phenyl group substituted by the groups R₅, R₆ and R₇, while

R₅ denotes ~~a cyano group, an amidino group optionally substituted by one or two C₁₋₃-alkyl groups, a hydroxy, C₁₋₆-alkoxy-carbonyl, 2,2,2-trichloroethoxycarbonyl or phenylcarbonyl group, or an amino-C₁₋₃-alkyl or C₁₋₃-alkylamino-C₁₋₃-alkyl group,~~

R₆ denotes a hydrogen, ~~fluorine, chlorine or bromine atom, or a trifluoromethyl, C₁₋₃-alkyl, hydroxy, hydroxy-C₁₋₃-alkyl, C₁₋₃-alkoxy, carboxy, C₁₋₃-alkoxy-carbonyloxy, carboxy-C₁₋₃-alkoxy or C₁₋₄-alkoxy-carbonyl-C₁₋₃-alkoxy group and~~

R₇ denotes a hydrogen atom or a C₁₋₃-alkyl group,

~~while the unsubstituted or monosubstituted phenyl groups mentioned in the definition of the abovementioned groups, or the unsubstituted or monosubstituted phenyl moieties contained in these groups, as well as the abovementioned heteroaryl groups may additionally be substituted at a carbon atom in each case by a fluorine, chlorine or bromine atom, by a trifluoromethyl, C₁₋₃-alkyl or C₁₋₃-alkoxy group, unless otherwise stated,~~

or a salt thereof.

3. (currently amended) A compound of the formula I according to claim 2, wherein:

- (i) m denotes the number 0,
n denotes the number 1 and
A denotes a methylene group wherein

one or two hydrogen atoms independently of one another may be replaced in each case by a C₁₋₃-alkyl group or

a hydrogen atom may be replaced by the group $-(CH_2)_p-R_f$, while

p denotes one of the numbers 0, 1, 2 or 3 and

R_f denotes a hydroxycarbonyl, C₁₋₃-alkoxycarbonyl, N-(C₁₋₃-alkyl)-amino-carbonyl, di-(C₁₋₃-alkyl)-aminocarbonyl, N-(C₁₋₃-alkoxy-carbonylmethyl)-N-(C₁₋₃-alkyl)-aminocarbonyl, N-(carboxymethyl)-N-(C₁₋₃-alkyl)-aminocarbonyl or a 4- to 7-membered cycloalkyleneimino-carbonyl group

or

- (ii) ~~m denotes the number 0,~~
~~n denotes the number 0 and~~
~~A denotes a $-CH_2-CH_2-$ group, or~~

- (iii) ~~m denotes the number 1,~~
~~n denotes the number 0 and~~
~~A denotes a $-CH_2-$ group,~~

the groups R₁ to R₄ are defined as in claim 2, but R₁ in the 4 position is bound to the phenyl group contained in formula I and

Ar denotes a phenyl group disubstituted by the groups R₅ and R₆, while

R₅ is bound in the 3 position if R₆ denotes a hydrogen atom, or is bound in the 5 position if R₆ assumes a meaning other than the hydrogen atom, and denotes an amidino group optionally substituted by ~~one or two C₁₋₃-alkyl groups~~, a hydroxy, C₁₋₆-alkoxy-carbonyl, 2,2,2-trichloroethoxycarbonyl or phenylcarbonyl group, ~~or an amino-C₁₋₃-alkyl or C₁₋₃-alkylamino-C₁₋₃-alkyl group and~~

R₆ denotes a hydrogen atom or a hydroxy, ~~C₁₋₃-alkoxy, carboxy-C₁₋₃-alkoxy, C₁₋₃-alkoxy-carbonyloxy or C₁₋₄-alkoxy-carbonyl-C₁₋₃-alkoxy group bound in the 2 position,~~

or a salt thereof.

4. (currently amended) A compounds of the formula I according to claim 1, wherein:

- (i) m denotes the number 0,
n denotes the number 1 and
A denotes a methylene group wherein

a hydrogen atom may be replaced by a methyl, hydroxycarbonyl, C₁₋₃-alkoxy-carbonyl, C₁₋₃-alkylaminocarbonyl, dimethylaminocarbonyl, ~~pyrrolidin-1-yl-carbonyl, C₁₋₃-alkylaminocarbonylmethyl, N-(hydroxy-carbonyl-methyl)-N-(C₁₋₃-alkyl)-amino-carbonyl-methyl, N-(C₁₋₃-alkoxy-carbonyl-methyl)-N-(C₁₋₃-alkyl)-amino-carbonyl-methyl, hydroxycarbonylmethyl, or C₁₋₃-alkoxy-carbonylmethyl or dimethylaminocarbonylmethyl group,~~

R₁ is bound in the 4 position of the phenyl group of formula I and denotes

a ~~pyrrolidinocarbonyl~~ ~~C₅₋₇-cycloalkylamino group which may be substituted at the amino nitrogen atom by a C₁₋₃-alkyl, C₁₋₃-alkylecarbonyl, amino-C₁₋₃-alkylecarbonyl, carboxy-C₁₋₃-alkylecarbonyl or C₁₋₄-alkoxy-carbonyl-C₁₋₃-alkyl-carbonyl group,~~
a 4- to 7-membered cycloalkyleneiminocarbonyl group

~~or a 2,5-dihydropyrrol-1-yl-carbonyl group,~~

R₂ denotes a hydrogen atom or a C₁₋₃-alkyl, ethenyl, ethynyl, or trifluoromethyl ~~or trifluoromethoxy~~ group bound in the 3 position or, if R₃ denotes a C₁₋₃-alkyl group, in the 5 position of the phenyl group in formula I ~~or a chlorine or bromine atom bound in the 3 position,~~

R₃ denotes a hydrogen atom or a C₁₋₃-alkyl group bound in the 2 position of the phenyl group in formula I,

R₄ denotes a hydrogen atom and

Ar denotes a phenyl group disubstituted by the groups R₅ and R₆, while

R₅ is bound in the 3 position if R₆ denotes a hydrogen atom, or is bound in the 5 position if R₆ assumes a meaning other than the hydrogen atom, and denotes an amidino group optionally substituted by a C₁₋₆-alkoxy-carbonyl, 2,2,2-trichloroethoxycarbonyl or phenylcarbonyl group, ~~or a aminomethyl group~~ and

R₆ denotes a hydrogen atom or a hydroxy ~~or C₁₋₃-alkoxy-carbonyloxy~~ group bound in the 2 position,

or a salt thereof.

5. (canceled)

6. (currently amended) A compound selected from the group consisting of:

(1) ~~2-(5-carbamimidoyl-2-hydroxy-phenyl)-N-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-phenyl]-ethylamine,~~

(2) ~~N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzylamine,~~

~~(3) N-(5-carbamimidoyl-2-hydroxy-benzyl)-2,5-dimethyl-4-(pyrrolidin-1-yl-carbonyl)-benzylamine,~~

~~(4)(1)N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,~~

~~(5)(2)N-(5-carbamimidoyl-2-hydroxy-benzyl)-2,5-dimethyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,~~

~~(6)(3)N-(3-carbamimidoyl-benzyl)-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,~~

~~(7)(4) N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-trifluoromethyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,~~

~~(8) N-(5-aminomethyl-2-hydroxy-benzyl)-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,~~

~~(9) 2-(3-aminomethyl-phenyl)-2-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-phenyl]-acetic acid-N-ethylamide,~~

~~(10) 3-(3-aminomethyl-phenyl)-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionic acid-N-ethylamide,~~

~~(11) N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-methyl-4-[N-cyclopentyl-N-(3-ethoxy-carbonyl-propionyl)amino]-benzamide,~~

~~(12) N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-methyl-4-(N-acetyl-N-cyclobutyl-amino)-benzamide,~~

~~(13) N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-methyl-4-(N-cyclopentyl-N-methyl-amino)-benzamide,~~

~~(14) N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-methyl-4-[N-cyclopentyl-N-(3-carboxy-propionyl)-amino]-benzamide,~~

~~(15) N-(5-carbamimidoyl-2-hydroxy-benzyl)-4-cyclopentylamino-3-methyl-benzamide,~~

~~(16)(5) ethyl 2-(3-carbamimidoyl-phenyl)-2-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoyl-amino]-acetate,~~

~~(17)(6) 2-(3-carbamimidoyl-phenyl)-2-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoyl-amino]-acetic acid,~~

~~(18) N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-methyl-4-[N-(2-aminoacetyl)-N-cyclopentyl-amino]-benzamide,~~

~~(19) N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-methyl-4-[N-(3-amino-propionyl)-N-cyclopentyl-amino]-benzamide, —~~

~~(20)(7) N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-chloro-4-(pyrrolidin-1-yl-carbonyl)-benzamide,~~

~~(21)(8) ethyl 3-(3-carbamimidoyl-phenyl)-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoyl-amino]-propionate,~~

~~(22)(9) ethyl 3-(3-carbamimidoyl-phenyl)-3-[3-chloro-4-(pyrrolidin-1-yl-carbonyl)-benzoyl-amino]-propionate,~~

~~(23) ethyl 3-(3-carbamimidoyl-phenyl)-3-[3-methyl-4-[N-(3-amino-propionyl)-N-cyclopentyl-amino]-benzoylamino]-propionate,~~

~~(24)(10) ethyl 3-(3-carbamimidoyl-phenyl)-3-[3-bromo-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionate,~~

~~(25) ethyl 3-(3-carbamimidoyl-phenyl)-3-[3-methyl-4-(2,5-dihydropyrrol-1-yl-carbonyl)-benzoylamino]-propionate,~~

(26)(11) ethyl 3-(3-carbamimidoyl-phenyl)-3-[3-ethynyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionate,

(27)(12) ethyl 3-(3-carbamimidoyl-phenyl)-3-[3-ethyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionate,

(28)(13) ethyl 3-(3-carbamimidoyl-phenyl)-3-[3-ethenyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionate,

(29)(14) 3-(3-carbamimidoyl-phenyl)-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionic acid,

(30)(15) 3-(3-carbamimidoyl-phenyl)-3-[3-trifluoromethyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionic acid,

(31)(16) 3-(3-carbamimidoyl-phenyl)-3-[3-chloro-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionic acid,

(32) ~~3-(3-carbamimidoyl-phenyl)-3-[3-methyl-4-(2,5-dihydropyrrol-1-yl-carbonyl)-benzoylamino]-propionic acid,~~

(33)(17) 3-(3-carbamimidoyl-phenyl)-3-[3-ethynyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionic acid,

(34)(18) 3-(3-carbamimidoyl-phenyl)-3-[3-ethyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionic acid,

~~(35) 3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-3-(3-carbamimidoyl-phenyl)-propionic acid-N-methyl-N-(hydroxycarbonylmethyl)-amide,~~

(36) ~~3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-3-(3-carbamimidoyl-phenyl)-propionic acid-N-(hydroxycarbonylmethyl)-N-(n-propyl)-amide,~~

~~(37)~~(19) 3-(3-carbamimidoyl-phenyl)-3-[3-ethenyl-4-(pyrrolidin-1-yl-carbonyl)-benzoyl-amino]-propionic acid,

~~(38)~~ 3-(3-carbamimidoyl-phenyl)-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionic acid N,N-dimethylamide,

~~(39)~~ N-[1-(3-carbamimidoyl-phenyl)-2-oxo-2-(pyrrolidin-1-yl)-ethyl]-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,

~~(40)~~ 2-(3-carbamimidoyl-phenyl)-2-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-acetic acid N,N-dimethylamide,

~~(41)~~ 2-(3-carbamimidoyl-phenyl)-2-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-acetic acid N-ethylamide,

~~(42)~~ 3-(3-carbamimidoyl-phenyl)-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionic acid N-ethylamide,

~~(43)~~ 3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-3-(3-carbamimidoyl-phenyl)-propionic acid N-(ethoxycarbonylmethyl)-N-(n-propyl)-amide,

~~(44)~~(20) N-[1-(5-carbamimidoyl-2-hydroxy-phenyl)-ethyl]-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,

~~(45)~~(21) N-[1-(5-carbamimidoyl-2-hydroxy-phenyl)-ethyl]-3-bromo-4-(pyrrolidin-1-yl-carbonyl)-benzamide,

~~(46)~~(22) N-[1-(5-carbamimidoyl-2-hydroxy-phenyl)-ethyl]-4-(pyrrolidin-1-yl-carbonyl)-benzamide,

~~(47)~~(23) ethyl 3-(3-carbamimidoyl-phenyl)-3-[3-trifluoromethyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionate,

~~(48)~~(24) N-(5-carbamimidoyl-2-hydroxy-benzyl)-3-trifluoromethoxy-4-(pyrrolidin-1-yl-carbonyl)-benzamide,

~~(49)~~(25) 3-(5-carbamimidoyl-2-hydroxy-phenyl)-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionic acid,

~~(50)~~(26) ethyl 3-[3-N-(phenylcarbonyl)-amidino-phenyl]-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionate,

~~(51)~~(27) ethyl 3-[3-N-(n-hexyloxycarbonyl)-amidino-phenyl]-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionate,

~~(52)~~(28) n-propyl 3-[3-N-(phenylcarbonyl)-amidino-phenyl]-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionate,

~~(53)~~(29) ethyl 3-[3-N-(2,2,2-trichloroethyloxycarbonyl)-amidino-phenyl]-3-[3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzoylamino]-propionate,

~~(54)~~(30) N-{5-[N-(n-hexyloxycarbonyl)-amidino]-2-hydroxy-benzyl}-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,

~~(55)~~(31) N-{5-[N-(phenylcarbonyl)-amidino]-2-hydroxy-benzyl}-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,

~~(56)~~(32) N-[5-(N-hydroxy-amidino)-2-hydroxy-benzyl]-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide and

~~(57)~~ N-{5-[N-(phenylcarbonyl)-amidino]-2-(ethyloxycarbonyloxy)-benzyl}-3-methyl-4-(pyrrolidin-1-yl-carbonyl)-benzamide,

~~or a derivative thereof wherein at least one~~while any amidino group present is may additionally be substituted by a C₁₋₆-alkoxycarbonyl or phenylcarbonyl group,

or a salt thereof.

7. (currently amended) A physiologically acceptable salt of a compound according to claim 1, 2, 3, 4, or 5 or 6, ~~with the exception of those compounds wherein Ar denotes a phenyl or naphthyl group substituted by the groups R₅, R₆ and R₇, and R₅ denotes a cyano group.~~

8. (currently amended) A pharmaceutical composition a compound according to claim 1, 2, 3, 4, or 5 or 6, ~~with the exception of those compounds wherein Ar denotes a phenyl or naphthyl group substituted by the groups R₅, R₆ and R₇, and R₅ denotes a cyano group,~~ or a physiologically acceptable salt thereof, together with one or more inert carriers and/or diluents.

9. (withdrawn) A method for treating thrombus formation which method comprises administering to a host in need of such treatment an antithrombotic amount of a compound according to claim 1, 2, 3, 4, 5 or 6, with the exception of those compounds wherein Ar denotes a phenyl or naphthyl group substituted by the groups R₅, R₆ and R₇, and R₅ denotes a cyano group, or a physiologically acceptable salt thereof.